



Hose Crimpers & Accessories

CATALOG 2017



PT. ARCOMINDO SISTEM TEKNIK

JL. Kapuk Timur Blok F 23 No. 11 AC
Delta Silicon III, Cikarang Pusat
Bekasi, Jawa Barat - INDONESIA

Telp : +62-21-89911555

Fax : +62-21-29612333

E-mail : sales@arcomindo.com

Web : www.arcomindo.com

P16HP

- . 1"3 wire Hydraulic Hose
- . Pump
- . Opening + 20mm
- . Dies:10 12 14 16 19 23 27 31
- . L*W*H: 330*400*280mm
- . Weight:25KG



P20HP

- . 1 1/2"4SP Hydraulic Hose
- . Pump
- . Opening + 25mm
- . Dies:10* 12* 14 16 19 22 26 30 34 39 45 51* 57*
- *Optional Die Sets Upon Request
- . L*W*H: 200*250*310mm
- . Weight:45KG




P16AP Ultra

- . 1"3 wire Hydraulic Hose
- . Air Pump (FAST)
- . Opening + 20mm
- . Dies:10 12 14 16 19 23 27 31
- . L*W*H: 280*300*250mm
- . Weight:25KG



P20HPZ

- . 1 1/2"4 Wire Hydraulic Hose
- . Crimping Range: 4-65
- . Opening + 20mm
- . Dies:10* 12* 14 16 19 22 26 30 34 39 45 51* 57*
- *Optional Die Sets Upon Request
- . L*W*H: 200*250*310mm
- . Weight:45KG



P20D

- . Digital Precision Control
- . 1 1/2"4SP Hydraulic Hose
- . 110/220V 1PH; 380V/415V/440V 3PH
- . Opening + 25mm, Quick Change System
- . Dies:10* 12* 14 16 19 22 26 30 34 39 45 51* 57*
- *Optional Die Sets Upon Request
- . L*W*H: 680*595*1330mm
- . Weight:177KG



P20Q

- . 1 1/2"4SP Hydraulic Hose
- . 110/220V 1PH; 380V/415V/440V 3PH
- . Opening + 26mm, Quick Change System
- . Dies:10* 12* 14 16 19 22 26 30 34 39 45 51* 57*
- *Optional Die Sets Upon Request
- . L*W*H: 680*600*1400mm
- . Weight:270KG



P32D

- . Digital Precision Control
- . 2"4SP Hydraulic Hose
- . 110/220V 1PH; 380V/415V/440V 3PH
- . Opening + 32mm, Quick Change System
- . Dies:10* 12* 14 16 19 22 26 30 34 39 45 51 57 63 69 74* 78*
- *Optional Die Sets Upon Request
- . L*W*H: 680*600*1400mm
- . Weight:300KG



P32Q

- . 2"4SP Hydraulic Hose
- . 110/220V 1PH; 380V/415V/440V 3PH
- . Opening + 32mm, Quick Change System
- . Dies:10* 12* 14 16 19 22 26 30 34 39 45 51* 57*
- *Optional Die Sets Upon Request
- . L*W*H: 680*600*1400mm
- . Weight:300KG




P100

- . Any Hydraulic Hose
- . 4" 6 Wire Hose
- . 110/220V 1PH; 380V/415V/440V 3PH
- . Opening + 50mm
- . Dies:10 13 16 19 22 26 30 39 45 52 57 62 69 74 78 84 92 100 108 116
- . L*W*H: 800*650*900mm
- . Weight:550KG



Nipple Inserter

- . Nipple Pusher
- . 1/4" to 2" Straight or Elbow
- . All tools included
- . Pneumatic Operation
- . Foot pedal included
- . Pushing force adjustable
- . L*W*H: 560*760*200mm
- . Weight:40KG



P32

- . 2" 4SP Hydraulic Hose
- . Germany TUV Certified
- . Optional Die Rack & Quick Change Tool
- . Opening + 32mm
- . Dies: 10* 12* 14 16 19 22 26 30 34 39 45 51* 57*
- . *Optional Die Sets Upon Request
- . L*W*H: 680*595*650mm
- . Weight: 250KG




P32X 12/24V DC For Mobile Van Or Truck

- . 2" 4SP Hydraulic Hose
- . Crimping range : 4-87mm
- . Opening + 32mm
- . Motor : 4KW
- . L*W*H : 650*500*400mm
- . Weight : 195KG



Various Speed Hose Reel

- . Hose up to 2 inch
- . Voltage single phase 230V
- . Remote Control
- . Opening + 32mm
- . Max Load of reel: 500KG
- . L*W*H: 1200*1200*850mm
- . Weight: 120KG



FP120D Production Hydraulic Hose Crimper

- . 2" 6SP Hydraulic Hose
- . Crimping range : 4-87mm
- . Opening + 65mm
- . Quick change tool and die rack
- . Dies : 10* 12* 14 16 19 22 26 30 34 39 45 51* 57*
- . *Optional Die Sets Upon Request
- . Voltage : 110/220V/400V/480V
- . Motor : 5.5KW
- . L*W*H : 860*1000*1600mm
- . Weight : 1220KG



NC20

- . Fitting size up to 1 1/4 inch
- . Crimping Range : 4-65mm
- . Opening + 32mm
- . Master die length : 22mm
- . Motor : 4KW
- . Crimping Hour : 2100
- . L*W*H: 685*1000*950mm
- . Weight: 340KG



Hose Rack

- . 1/4" to 1 1/4" Hydraulic Hose
- . 6 layer
- . Max Load 1000KG
- . Self Assembly
- . L*W*H : 1200*1200*2000mm
- . Weight : 150KG



T642 TUBE BENDING MACHINE

- . Max capacity steel tube : 6-42
- . Steel pipe : 1/4 - 1 1/4"
- . Power : 0.55KW
- . L*W*H: 300*400*250mm
- . Weight: 60KG




Skiver 51ES Production Hose Skiving Machine

- . 1/4" to 2" Hydraulic Hose
- . Gearbox : 0.75KW
- . Switch : 2 Way Rotation
- . L*W*H : 450*400*1400mm
- . Weight : 100KG



C300 BENCH TOP HOSE SAW

- . 2" 4SP Hydraulic Hose
- . Motor : 3KW
- . 300mm Blade
- . L*W*H: 450*400*430mm
- . Weight: 45KG



P51D

- . 2" 8 wire Hydraulic Hose
- . 4" Industrial Hose
- . Crimping Range : 4-140mm
- . Opening +40mm
- . Dies: 10* 12* 14 16 19 22 26 30 34 39 45 51 57 63 69 74* 78*
- . *Optional Die Sets Upon Request
- . L*W*H: 760*650*1520mm
- . Weight: 450KG



CM75 Production Cutting Machine


- . 2 inch 6 wire Hydraulic Hose
- . 4" Industrial Hose
- . Motor : 5.5KW
- . L*W*H : 910*650*1400mm
- . Weight : 255KG



Germany TUV-SUD CE Approved

FP 175H

- . 10" Industrial Hose
- . Crimping Range : 4 - 320mm
- . Master Die Length : 200mm
- . Opening + 150mm
- . Motor : 15KW by SIEMENS
- . L*W*H: 2350*1200*1200mm
- . Weight : 5950KG



P16APZ

- . 1"4 wire Hydraulic Hose
- . Crimping Range : 4 - 45mm
- . Master Die Length : 64mm
- . Opening + 20mm
- . L*W*H: 170*210*400mm
- . Weight: 18KG



NC50

- . 4" Hose Size
- . Crimping Range : 4 - 120mm
- . Opening + 24mm
- . Master die length : 24mm
- . Motor : 7.5KW by SIEMENS
- . Crimping Force : 5000KN
- . L*W*H main machine : 685*1000*940mm
- . Weight main machine : 450KG
- . Hydraulic Unit L*W*H : 600*600*850mm
- . Hydraulic Unit Weight : 350KG




P20CS 12/24V DC For Mobile Van or Truck

- . 1 1/4" Hydraulic Hose
- . Crimping Range : 4-65mm
- . Master Die Length : 80mm
- . Opening + 24mm
- . Motor : 2.2 KW 12V DC
- . Crimping Force : 2200KN
- . L*W*H : 650*600*380mm
- . Weight : 145KG



FP185 L

- . Crimping Range in inch OD : 15"
- . Crimping Range in mm OD : 440mm
- . Crimping Range : 160 - 440 mm
- . Crimping Range Ton : 1000
- . Opening + 300mm
- . Motor : 15KW by SIEMENS
- . L*W*H : 3780*1780*1100mm
- . Weight : 9500KG



P32CS 12/24V DC For Mobile Van or Truck

- . 2" 4SP Hydraulic Hose
- . Crimping Range : 4-87mm
- . Master Die Length : 80mm
- . Opening + 32mm
- . Motor : 4 KW
- . Crimping Force : 2200KN
- . L*W*H : 650*500*400mm
- . Weight : 195KG



P16HPZ

- . 1"4 Wire Hydraulic Hose
- . Crimping Range : 4-45mm
- . Opening + 20mm
- . Master Die Length : 64mm
- . Crimping Force : 1000KN
- . L*W*H : 170*210*400mm
- . Weight : 18KG




CC22

- . 1 1/2"4SP Hydraulic Hose
- . Crimping Range : 4-54mm
- . Opening + 25mm
- . Crimping Force : 750KN
- . Master die Length : 80mm
- . Motor : 3KW
- . L*W*H : 680*600*1400mm
- . Weight : 245KG



P16AP

- . 1"3 Wire Hydraulic Hose
- . Crimping Range : 4-45mm
- . Master die length : 64mm
- . Opening + 20mm
- . Crimping force : 1000KN
- . L*W*H : 330*400*280mm
- . Weight : 25KG



FP195 H Industrial Crimper

- . Crimping range in inch OD : 17"
- . Opening : +150mm;
- . Any Hydraulic Hose
- . Crimping Range : Up to 480mm
- . Motor : 15KW by SIEMENS
- . L*W*H : 2850*1780*1100mm
- . Weight : 8500KG

